# Sanitary partition wall type EF-3 JUMP Sandwich elements with solid grade laminate surface







BEFORE WE
EXPECT TRUST FROM
OUR CUSTOMERS,
WE PROVIDE EVIDENCE
that's us!

## ENVIRONMENT & SUSTAINABILITY

Sustainable management and careful use of resources are a matter of course for us and part of our corporate philosophy. This basic idea is consistently integrated and lived in our work processes. We are proud to be the first certified manufacturer of partition systems and lockers in Germany to operate according to the FSC<sup>TM</sup> and PEFC guidelines.

#### PEFC - registered

We pay attention to a sustainable supply chain in which our products are procured under ecological, economic and socially just aspects.

#### FSC™ - certified

As the first certified manufacturer in the area of partition systems and lockers in Germany, we make an active contribution to the protection of our earth with this future-oriented procurement method. We supply almost our entire range from sustainable wood in accordance with the specifications of the FSCTM.





On request the products are available with FSC<sup>TM</sup> certification

# TÜV NORD GS TESTED SAFETY

Tested and certified by TÜV NORD these products meet the requirements of the Product Safety Act ProdSG § 21 Registration No. 44 329 14148801.



### MADE IN GERMANY

Our products are manufactured for you at the company site in Horhausen, Rhineland-Palatinate. This is the only way we can guarantee the high quality standards we set for our products.



# PREQUALIFIED that's us!

We are registered in the list of prequalified construction companies with the number 010.049740, proving that we are qualified for the products and services we offer.



# INNOVATIVE & DESIGN-ORIENTED that's us!

With our design-oriented and innovative products, we convince not only our customers, but also national and international committees.












2



# Floating walls. Floating optics.

The EF-3 JUMP cubicle system impresses with its floating appearance. This gives the sanitary room a special lightness. It seems as if the system is floating. An optical highlight combined with an efficient side effect. Due to its construction, the WC partition wall is supported on recessed feet. The resulting floor clearance makes maintenance much easier. Cleaning can be carried out more quickly and therefore more efficiently. The recessed supports and headrail are the heart of this system in conjunction with the wall connections made as shadow gaps.





# WC partition walls made of 36 mm thick sandwich elements with HPL surface

- Recessed supports and headrail give a floating look
- No support feet visible in the front
- Floor clearance ensures a quick and effective cleaning
- Flush front
- Wall connections are done as shadow gaps
- Hardware made of high-quality anodised aluminium
- Fully waterproof construction
- Suitable for wet and dry areas
- Large variety of decors and colours
- Customised motif prints are possible
- System will be produced acc. to the building site dimension







#### (1)

• Construction here with integration of a toilet suitable for the disabled. The additional support leg under the side wall provides stability

#### (2)

- The INSAFE toilet lock with large red and white viewing window on the outside and inside of the cubicle gives the user a secure feeling of having locked the cubicle
- Particularly handy handle, very child-friendly to operate
- Made of robust and easy-care aluminium
- Large viewing windows make it easy to find a free cubicle

#### (3)

- Can be customised to suit any room situation
- Wider doors for people with disabilities
- Pictograms ensure easy orientation





# (2)



#### Handrail for toilet partition type EF-3 JUMP

- Matt, natural anodised
- Very easy to clean
- Integrated Free/engaged indicator (4)
- Emergency opening located below allows the locked door to be opened from the outside (5)
- Optional available with LED
- Optional energy-saving LED strip shows the locking status clearly visible
- Very good grip, because of the body-friendly shape

#### Possible Variation:

#### (1)

- Handrail adapted to the door length, always until the top edge of the door
- Optional available: in combination with a LED strip

#### (2)

- Handrail 55 x 1.150 mm
- Optional available: in combination with a LED strip

#### (3)

- Handrail 55 x 500 mm
- Optional available: in combination with a LED strip



#### Features type EF-3 JUMP

#### Headrail:



- Headrail recessed by 150 mm behind the front wall
- Aluminium brackets and angles ensure a stable construction

#### Supports:



- Dividing wall with recessed aluminium support
- Support holder made of anodised aluminium
- Stabilisation of the front elements by means of T-connectors under the dividing wall and front element, tightly screwed

#### Hinges:



- Anodised aluminium rising hinge with high-performance polymer
- Treads guarantee absolute freedom from maintenance and a silence, self-closing of the door
- Door hinges are generally used for door openings over 110°



- Optional available: hinges located in the door rebate which ensure a complete flush front wall
- Optional available: internal tube door closer for a self-closing function of the door

#### Variation of accessories type EF-3 JUMP

#### Hardware:



Aluminium door handle Schäfer AL7050



Stainless steel door handle Schäfer ES6050



Nylon one hand door knob



Stainless steel one hand door knob



Aluminium one hand door knob INSAFE



Aluminium push handle SLIDESAFE

To the handrail configuration online tool >

To the push handle SLIDESAFE >

To the sanitary accessories >



Aluminium handrail 55 x 500 mm Schäfer ALGS1



Aluminium handrail with LED strip 55 x 500 mm Schäfer ALGS1 LED



Aluminium handrail 55 x 1.150 mm Schäfer ALGS2



Aluminium handrail with LED strip 55 x 1.150 mm Schäfer ALGS2 LED



Aluminium handrail, adapted to the door length, always until the top edge of the door Schäfer ALGSV



Aluminium handrail with LED strip, adapted to the door length, always until the top edge of the door Schäfer ALGSV LED

**Buffer and hooks:** 



Aluminium buffer Schäfer AL7015



Stainless steel buffer Schäfer ES6015



Nylon buffer Schäfer N8015



Aluminium hook Schäfer AL7011




Stainless steel hook Schäfer ES6011



Nylon hook Schäfer N8010

#### Colours type EF-3 JUMP

Panels:



**Profiles:** 





E6/EV1 Eloxiert


Special colours for panels, wall-connection profiles in all RAL colours and special accessories are available upon request. Ask us!

There may be a difference between printed colours and real colours.

#### Technical design of cubicle system type EF-3 JUMP







We reserve the right to make technical alterations.



















